

Cognitive Interaction Toolkit - Bug #281

Incorrect Use of \$prefix in Oncilla-Sim 0.2 Replication Documentation

2014-06-22 21:19 - Sebastian Wrede

Status:	Closed	Start date:	2014-06-22
Priority:	Immediate	Due date:	
Assignee:	Florian Lier	% Done:	0%
Category:	Documentation	Estimated time:	0.00 hour
Target version:		Spent time:	0.20 hour

Description

Within the documentation page for the Oncilla-Sim \$prefix is probably used wrong. The documentation states:

```
export PATH=$prefix/bin/:$PATH
export PKG_CONFIG_PATH=$prefix/lib/pkgconfig/
export LD_LIBRARY_PATH=$prefix/ncilla-sim-0.2/lib/
export PYTHONPATH=$prefix/lib/python2.7/site-packages/
ncilla-sim-wizard create -w $prefix/ncilla-sim-0.2/share/ncilla-sim/wizard.cfg $prefix/ncilla-sim-0.2/
```

If \$prefix points to the parent directory* of the actual distribution, which is supposed to be /tmp as default, then the PATH export in line 1 as well as the PKG_CONFIG_PATH and the PYTHONPATH exports are wrong as they lack the ncilla-sim-0.2 path elements.

*Actually, I wonder if \$prefix should point to the parent directory of a distribution. Shouldn't \$prefix instead reference the base directory of a distribution, which in this case would be /tmp/ncilla-sim-0.2?

History

#1 - 2014-06-22 23:05 - Florian Lier

- Status changed from New to Closed

<https://toolkit.cit-ec.uni-bielefeld.de/systems/ncilla-quadruped-simulation/versions/ncilla-quadruped-simulation-0-2>