

IPAACA - Feature #462

Feature # 466 (New): IPAACA v3

v3: Structured metadata

2016-02-16 14:04 - Ramin Yaghoubzadeh

| | | | |
|---|-------------|------------------------|------------|
| Status: | In Progress | Start date: | 2015-03-26 |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | | Estimated time: | 0.00 hour |
| Target version: | | | |
| Description | | | |
| To capture information such as publication or retraction / commission times, the existing metadata fields (flags etc.) are to be unified with the new ones into a single metadata structure, mirroring the payload structure. | | | |
| Subtasks: | | | |
| Feature # 406: add time stamps to IUs/messages | | | New |

History

#1 - 2016-02-16 14:30 - Ramin Yaghoubzadeh

- Parent task set to #466

#2 - 2016-02-22 16:17 - Hendrik Buschmeier

- Status changed from New to In Progress

I created a branch ipaaca3-dev (available here) that contains a first proposal for how the protobuf messages for ipaaca3 could look like (see commit:39a14c1d). In my proposal everything except `uid`, `mode`, `owner` and `revision` will be part of a general purpose metadata structure (`metadata`) that – on the protobuf message level – looks exactly as `payload` does.